

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.07.2018

Version number 29

Revision: 03.07.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Product name: Vario Ammonia Salicylate F5 ml

· Catalog number: 00531169, 531160, 4531160

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the preparation: Reagent for water analysis

· 1.3 Details of the supplier of the safety data sheet

· Supplier:

Tintometer GmbH
Schleefstraße 8-12
44287 Dortmund
Made in Germany
www.lovibond.com

phone: +49 231 94510-0
e-mail: sales@tintometer.de

Tintometer GmbH
Division AQUALYTIC®
Schleefstr. 12
44287 Dortmund
Made in Germany
www.aqualytic.de

phone: +49 231 94510-755
e-mail: sales@aqualytic.de

The Tintometer Limited
Lovibond® House
Sun Rise Way
Amesbury
Wiltshire SP4 7GR
United Kingdom

phone : +44 1980 664800
e-mail: SDS@tintometer.com

· Informing department:

e-mail: sds@tintometer.de
Product Safety Department

· 1.4 Emergency telephone number:

+44 1235 239670
Languages: English

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

· Signal word Warning

(Contd. on page 2)

— GB —

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.07.2018

Version number 29

Revision: 03.07.2018

Product name: Vario Ammonia Salicylate F5 ml

(Contd. of page 1)

Hazard-determining components of labelling:

sodium salicylate
sodium nitroprusside dihydrate

Hazard statements

H302 Harmful if swallowed.
H319 Causes serious eye irritation.

Precautionary statements

P280 Wear protective gloves / eye protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards No further relevant information available.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of organic and inorganic compounds

Dangerous components:

CAS: 54-21-7 EINECS: 200-198-0	sodium salicylate	⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319	40–50%
CAS: 13755-38-9 EINECS: 238-373-9	sodium nitroprusside dihydrate	⚠ Acute Tox. 3, H301	0.1–≤2.5%

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- **General information** Instantly remove any clothing soiled by the product.
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact** Instantly rinse with water.
- **After eye contact** Rinse opened eye for several minutes (at least 15 min) under running water. Then consult doctor.
- **After swallowing**
Rinse out mouth and then drink 1-2 glasses of water.
Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed:

irritations
absorption
after inhalation:
mucous membrane irritation
coughing
breathing difficulty
after swallowing:
sickness
vomiting
diarrhoea
after swallowing of large amounts:
tinnitus (ringing in the ears)
headache
dizziness
coma
fever
disorientation
drop in blood pressure
disorder of electrolyte balance
cramps

• **Danger** Danger of system failure.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.07.2018

Version number 29

Revision: 03.07.2018

Product name: Vario Ammonia Salicylate F5 ml

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.
-

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
 - **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
 - **5.2 Special hazards arising from the substance or mixture**
The product is not combustible.
Formation of toxic gases is possible during heating or in case of fire.
Hydrogen chloride (HCl)
nitrous gases
Nitrogen oxides (NO_x)
Sulphur oxides (SO_x)
cyanide compounds, sodium monoxide
 - **5.3 Advice for firefighters**
 - **Protective equipment:**
Wear self-contained breathing apparatus.
Wear full protective suit.
 - **Additional information**
Collect contaminated fire fighting water separately. It must not enter drains.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Ambient fire may liberate hazardous vapours.
-

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
 - **Advice for non-emergency personnel:**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
 - **Advice for emergency responders:** Protective equipment: see section 8
 - **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
 - **6.3 Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Collect mechanically.
Dispose of contaminated material as waste according to item 13.
 - **6.4 Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.
-

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
- **Advice on safe handling:**
Use only in well ventilated areas.
Prevent formation of dust.
- **Hygiene measures:**
Avoid contact with the eyes.
Take off immediately all contaminated clothing.
Wash hands during breaks and at the end of the work.
Do not eat, drink or smoke when using this product.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Store in cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed containers.
Protect from heat and direct sunlight.
Protect from the effects of light.
Store under dry conditions.
Protect from humidity and keep away from water.
This product is hygroscopic.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.07.2018

Version number 29

Revision: 03.07.2018

Product name: Vario Ammonia Salicylate F5 ml

(Contd. of page 3)

- **Recommended storage temperature:** 20°C +/- 5°C
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs**
Derived No Effect Level (DNEL)

CAS: 54-21-7 sodium salicylate

Oral	DNEL	4 mg/kg (Worker / long-term /systemic effects)
Dermal	DNEL	4 mg/kg (Worker / long-term /systemic effects)
		2 mg/kg (Consumer / long-term / systemic effects)
Inhalative	DNEL	7.051 mg/m ³ (Worker / long-term /systemic effects)
		1.738 mg/m ³ (Consumer / long-term / systemic effects)

- **Recommended monitoring procedures:**
Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Engineering measures:**
Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.
- **Personal protective equipment**
- **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.
- **Recommended filter device for short term use:** Filter P2
- **Protection of hands:**
Protective gloves.
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves**
nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.11 mm
- **Penetration time of glove material**
Value for the permeation: Level = 1 (< 10 min)
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing.
- **Limitation and supervision of exposure into the environment:** Avoid release to the environment.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **Appearance:**

Form / Physical state:	Powder
Colour:	Whitish

- | | |
|---------------------------|----------------|
| · Odour: | Odourless |
| · Odour threshold: | Not applicable |

- | | |
|-------------------------------------|-----|
| · pH-value (50 g/l) at 20°C: | 8.1 |
|-------------------------------------|-----|

- | | |
|---|----------------|
| · Melting point/Freezing point: | Not determined |
| · Initial boiling point and boiling range: | Not determined |

- | | |
|-----------------------|----------------|
| · Flash point: | Not applicable |
|-----------------------|----------------|

- | | |
|-------------------------------------|---------------------------------|
| · Flammability (solid, gas): | The product is not combustible. |
|-------------------------------------|---------------------------------|

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.07.2018

Version number 29

Revision: 03.07.2018

Product name: Vario Ammonia Salicylate F5 ml

(Contd. of page 4)

· Ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product is not explosive.
· Flammability or explosive limits:	
Lower:	Not applicable
Upper:	Not applicable
· Oxidising properties:	none
· Vapour pressure:	Not applicable.
· Density at 20°C:	1.25 g/cm ³
· Relative density:	Not determined.
· Vapour density:	Not applicable.
· Evaporation rate:	Not applicable.
· Solubility(ies):	
Water:	Soluble
· Partition coefficient: n-octanol/water:	Not applicable.
· Viscosity:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
Solids content:	100.0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** see section 10.3
- **10.2 Chemical stability** Stable at ambient temperature (room temperature).
- **10.3 Possibility of hazardous reactions**
 - Contact with acids releases toxic gases
 - Reacts with acids, alkalis and oxidizing agents
 - Reacts with oxidizing agents
 - > forms heat
- **10.4 Conditions to avoid** Strong heating (decomposition)
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
 - hydrogen cyanide (prussic acid HCN)
 - see section 5

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**
 - Classification according to calculation procedure:
 - Harmful if swallowed.

· Acute toxicity estimate (ATE_(mix)) - Calculation method:		
Oral	CLP ATE _(mix)	1560 mg/kg (.)

Oral CLP ATE_(mix) 1560 mg/kg (.)

· LD/LC50 values that are relevant for classification:		
CAS: 54-21-7 sodium salicylate		
Oral	LD50	930 mg/kg (rat) (RTECS)
	LDLo	700 mg/kg (human) (RTECS)
CAS: 13755-38-9 sodium nitroprusside dihydrate		
Oral	LD50	99 mg/kg (rat) (RTECS, anhydrous substance)

CAS: 54-21-7 sodium salicylate		
Oral	LD50	930 mg/kg (rat) (RTECS)
	LDLo	700 mg/kg (human) (RTECS)
CAS: 13755-38-9 sodium nitroprusside dihydrate		
Oral	LD50	99 mg/kg (rat) (RTECS, anhydrous substance)

Oral LD50 930 mg/kg (rat)
(RTECS)LDLo 700 mg/kg (human)
(RTECS)

CAS: 13755-38-9 sodium nitroprusside dihydrate		
Oral	LD50	99 mg/kg (rat) (RTECS, anhydrous substance)

Oral LD50 99 mg/kg (rat)
(RTECS, anhydrous substance)

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.07.2018

Version number 29

Revision: 03.07.2018

Product name: Vario Ammonia Salicylate F5 ml

(Contd. of page 5)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Information on components:** CAS 54-21-7: chronic: dermatitis
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** The following statements refer to the mixture:
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
 The following complies to cyanogen compounds / nitriles in general:
 Utmost caution! Release of hydrocyanic acid is possible - blockade of cellular respiration.
 The following applies to soluble iron compounds: nausea and vomiting after swallowing. The absorption of large quantities is followed by cardiovascular disorders. Toxic effect on liver and kidneys.
 CAS 54-21-7: skin resorption (effects similar to those of ingestion)
 CAS 54-21-7: chronic: central nervous system effects

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 54-21-7 sodium salicylate

EC10	304 mg/l (Daphnia magna) (24) (ECOTOX)
LC50	1370 mg/l/96h (fathhead minnow) (ECOTOX)

CAS: 13755-38-9 sodium nitroprusside dihydrate

EC50	1 mg/l/24h (Daphnia magna)
LC50	0.05 mg/l (fish)

· Other information:

Toxic for fish:

the following applies to dissolved iron compounds in general:

toxic as from 0.9 mg/l at pH 6.5 - 7.5

lethal as from 1.0 mg/l at pH 5.5 - 6.7

· 12.2 Persistence and degradability

No further relevant information available.

· 12.3 Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 54-21-7 sodium salicylate

log Pow	-1.43 (.) (calculated)
---------	------------------------

· 12.4 Mobility in soil

No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very

persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

· 12.6 Other adverse effects

Avoid transfer into the environment.

· Water hazard:

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.07.2018

Version number 29

Revision: 03.07.2018

Product name: Vario Ammonia Salicylate F5 ml

(Contd. of page 6)

Hand over to disposers of hazardous waste.

· European waste catalogue

16 05 06* laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals

· Uncleaned packagings:
· Recommendation: Disposal must be made according to official regulations.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN-Number
· ADR, IMDG, IATA

Void

· 14.2 UN proper shipping name
· ADR, IMDG, IATA

Void

· 14.3 Transport hazard class(es)
· ADR, IMDG, IATA
· Class

Void

· 14.4 Packing group
· ADR, IMDG, IATA

Void

· 14.5 Environmental hazards:

Not applicable.

· 14.6 Special precautions for user

Not applicable.

· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

· Transport/Additional information:

Not dangerous according to the above specifications.

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

· Directive 2012/18/EU (SEVESO III):
· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Regulation (EU) No 649/2012

None of the ingredients is listed.

· Information about limitation of use: Employment restrictions concerning young persons must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

· Training hints Provide adequate information, instruction and training for operators.

· Abbreviations and acronyms:

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.07.2018

Version number 29

Revision: 03.07.2018

Product name: Vario Ammonia Salicylate F5 ml

(Contd. of page 7)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

· Sources

Data arise from safety data sheets, reference works and literature.

ECOTOX Database

RTECS (Registry of Toxic Effects of Chemical Substances)

GB